



zfu

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

Confirmation No. 2360

Allowed: September 20, 2007

DANCEY et al

Atty. Ref.: 3343-23

Serial No. 10/751,455

Group: 1724

Filed: January 6, 2004

Examiner: Pham, Minh Chau Thi

For: METHOD AND APPARATUS FOR CONTROLLING HUMIDITY AND MOLD

* * * * *

October 4, 2007

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

**REQUEST FOR CONFIRMATION THAT IDS FILING OF JANUARY 6, 2004
HAS BEEN FULLY CONSIDERED**

The instant application was allowed on September 20, 2007. However, the undersigned did not received a fully initialed PTO-1449 Form corresponding to the IDS filing of January 6, 2004. The last two U.S. patents were initialed by the Examiner, however, the first patent ('258) listed on the same PTO-1449 was not initialed by the Examiner. Accordingly, it is respectfully requested that the Examiner confirm that the IDS filing has been fully considered by providing the undersigned with a fully initialed copy of the corresponding PTO-1449 Form filed January 6, 2004.

DANCEY et al.
Serial No. 10/751,455

Please let me know if you should have any questions with regard to the above.

Respectfully submitted,

NIXON & VANDERHYE P.C.

By: 

Joseph A. Rhoa
Reg. No. 37,515

JAR:caj
901 North Glebe Road, 11th Floor
Arlington, VA 22203-1808
Telephone: (703) 816-4000
Facsimile: (703) 816-4100